

# CHEMICAL BYPASS POT FEEDERS



## DOMED BOTTOM (DB) SERIES

Leg mounted pot feeders provide bottom drain access:

- Four ports – two on neck, one on side base, and one in bottom head
- Powder coated exterior
- Safety bar or grooved end cap closure options
- Grooved end closure pot feeder rated for 350 psi at 230°F or 250°F



| Item Number        | Description  | Price |
|--------------------|--|-------|
| DB-2-SB-CS-Z       | 2 gallon DB series pot feeder, safety bar closure, carbon steel construction                 | 385   |
| DB-5-SB-CS-Z       | 5 gallon DB series pot feeder, safety bar closure, carbon steel construction                 | 465   |
| DB-12-SB-CS-Z      | 12 gallon DB series pot feeder, safety bar closure, carbon steel construction                | 1108  |
| DB-2-SB-304-Z      | 2 gallon DB series pot feeder, safety bar closure, 304 stainless steel construction          | 1860  |
| DB-5-SB-304-Z      | 5 gallon DB series pot feeder, safety bar closure, 304 stainless steel construction          | 1980  |
| DB-12-SB-304-Z     | 12 gallon DB series pot feeder, safety bar closure, 304 stainless steel construction         | 2592  |
| DB-2-SB-316-Z      | 2 gallon DB series pot feeder, safety bar closure, 316 stainless steel construction          | 2065  |
| DB-5-SB-316-Z      | 5 gallon DB series pot feeder, safety bar closure, 316 stainless steel construction          | 2200  |
| DB-12-SB-316-Z     | 12 gallon DB series pot feeder, safety bar closure, 316 stainless steel construction         | 2880  |
| DB-2-GE-CS-Z-230   | 2 gallon DB series pot feeder, grooved end closure, carbon steel construction, 230°F         | 1049  |
| DB-5-GE-CS-Z-230   | 5 gallon DB series pot feeder, grooved end closure, carbon steel construction, 230°F         | 1432  |
| DB-12-GE-CS-Z-230  | 12 gallon DB series pot feeder, grooved end closure, carbon steel construction, 230°F        | 1512  |
| DB-2-GE-304-Z-230  | 2 gallon DB series pot feeder, grooved end closure, 304 stainless steel construction, 230°F  | 1820  |
| DB-5-GE-304-Z-230  | 5 gallon DB series pot feeder, grooved end closure, 304 stainless steel construction, 230°F  | 2046  |
| DB-12-GE-304-Z-230 | 12 gallon DB series pot feeder, grooved end closure, 304 stainless steel construction, 230°F | 3220  |
| DB-2-GE-316-Z-230  | 2 gallon DB series pot feeder, grooved end closure, 316 stainless steel construction, 230°F  | 3320  |
| DB-5-GE-316-Z-230  | 5 gallon DB series pot feeder, grooved end closure, 316 stainless steel construction, 230°F  | 3400  |
| DB-12-GE-316-Z-230 | 12 gallon DB series pot feeder, grooved end closure, 316 stainless steel construction, 230°F | 3578  |
| DB-2-GE-CS-Z-250   | 2 gallon DB series pot feeder, grooved end closure, carbon steel construction, 250°F         | 1359  |
| DB-5-GE-CS-Z-250   | 5 gallon DB series pot feeder, grooved end closure, carbon steel construction, 250°F         | 1489  |
| DB-12-GE-CS-Z-250  | 12 gallon DB series pot feeder, grooved end closure, carbon steel construction, 250°F        | 1556  |
| DB-2-GE-304-Z-250  | 2 gallon DB series pot feeder, grooved end closure, 304 stainless steel construction, 250°F  | 2204  |
| DB-5-GE-304-Z-250  | 5 gallon DB series pot feeder, grooved end closure, 304 stainless steel construction, 250°F  | 2904  |
| DB-12-GE-304-Z-250 | 12 gallon DB series pot feeder, grooved end closure, 304 stainless steel construction, 250°F | 3387  |
| DB-2-GE-316-Z-250  | 2 gallon DB series pot feeder, grooved end closure, 316 stainless steel construction, 250°F  | 3580  |
| DB-5-GE-316-Z-250  | 5 gallon DB series pot feeder, grooved end closure, 316 stainless steel construction, 250°F  | 3850  |
| DB-12-GE-316-Z-250 | 12 gallon DB series pot feeder, grooved end closure, 316 stainless steel construction, 250°F | 4188  |

Note: Stainless Steel Prices subject to change without notice

**MAKING WATER WORK**

1525 East 6th Street  
Corona, CA 92879 | 951.278.8992

info@griswoldwatersystems.com

GriswoldWaterSystems.com

GWS-1172 Rev H

## DOMED BOTTOM ASME SERIES

Same as our well designed standard Domed Bottom  
Plus ASME pressure vessel certification and stamped name plate

- Vessels and grooved end closure rated for 600 psi at 250 °F



| Item Number        | Description  | Price |
|--------------------|--|-------|
| DB-2-GE-CS-A-250   | 2 gallon DB series pot feeder, grooved end closure, carbon steel construction, 250°F         | 1846  |
| DB-5-GE-CS-A-250   | 5 gallon DB series pot feeder, grooved end closure, carbon steel construction, 250°F         | 2192  |
| DB-12-GE-CS-A-250  | 12 gallon DB series pot feeder, grooved end closure, carbon steel construction, 250°F        | 3423  |
| DB-2-GE-304-A-250  | 2 gallon DB series pot feeder, grooved end closure, 304 stainless steel construction, 250°F  | 3080  |
| DB-5-GE-304-A-250  | 5 gallon DB series pot feeder, grooved end closure, 304 stainless steel construction, 250°F  | 4276  |
| DB-12-GE-304-A-250 | 12 gallon DB series pot feeder, grooved end closure, 304 stainless steel construction, 250°F | 5449  |
| DB-2-GE-316-A-250  | 2 gallon DB series pot feeder, grooved end closure, 316 stainless steel construction, 250°F  | 4368  |
| DB-5-GE-316-A-250  | 5 gallon DB series pot feeder, grooved end closure, 316 stainless steel construction, 250°F  | 4850  |
| DB-12-GE-316-A-250 | 12 gallon DB series pot feeder, grooved end closure, 316 stainless steel construction, 250°F | 5945  |

Also available is the DB-5-1THD-CS-A rated for 600 psi at 650° F  
for more information contact [info@griswoldwatersystems.com](mailto:info@griswoldwatersystems.com)

## FLAT BOTTOM (FB) SERIES

Rugged flat bottom design allows floor or pedestal mounting

- Three access ports – two on neck, one on side base
- Safety bar closure
- Powder coated exterior
- 320 psi at 250 °F



| Item Number    | Description  | Price |
|----------------|--|-------|
| FB-2-SB-CS-Z   | 2 gallon FB series pot feeder, safety bar closure, carbon steel construction         | 295   |
| FB-5-SB-CS-Z   | 5 gallon FB series pot feeder, safety bar closure, carbon steel construction         | 350   |
| FB-12-SB-CS-Z  | 12 gallon FB series pot feeder, safety bar closure, carbon steel construction        | 786   |
| FB-2-SB-304-Z  | 2 gallon FB series pot feeder, safety bar closure, 304 stainless steel construction  | 1,420 |
| FB-5-SB-304-Z  | 5 gallon FB series pot feeder, safety bar closure, 304 stainless steel construction  | 1,780 |
| FB-12-SB-304-Z | 12 gallon FB series pot feeder, safety bar closure, 304 stainless steel construction | 3,600 |
| FB-2-SB-316-Z  | 2 gallon FB series pot feeder, safety bar closure, 316 stainless steel construction  | 1,690 |
| FB-5-SB-316-Z  | 5 gallon FB series pot feeder, safety bar closure, 316 stainless steel construction  | 1,950 |
| FB-12-SB-316-Z | 12 gallon FB series pot feeder, safety bar closure, 316 stainless steel construction | 4,000 |

Note: Stainless Steel Prices subject to change without notice

**MAKING WATER WORK**

1525 East 6th Street  
Corona, CA 92879 | 951.278.8992

[info@griswoldwatersystems.com](mailto:info@griswoldwatersystems.com)

[GriswoldWaterSystems.com](http://GriswoldWaterSystems.com)

GWS-1172 Rev G

## ACCESSORIES

We offer a complete range of interoperable pot feeder accessories including filter elements in a range of porosities micron ratings:

- Only Safety Bar models are compatible with cartridge filter accessories
- Please contact your local reseller for other micron ratings



| Item Number            | Description  | Price   |
|------------------------|--|---------|
| CFA                    | Cartridge Filter Assembly Safety Bar (SB) Closures Only        | 406     |
| CF-25-100, CF-2525-100 | Cartridge Filter 25u 100F - 1 ea, 25 pack                      | 10, 206 |
| CF-25-170, CF-2525-170 | Cartridge Filter 25u 170F - 1 ea, 25 pack                      | 13, 289 |
| CF-25-250, CF-2525-250 | Cartridge Filter 25u 250F - 1 ea, 25 pack                      | 13, 289 |
| F-75                   | Funnel 3/4"  | 29      |
| FP-75                  | Funnell Package 3/4"   | 95      |
| P-12                   | Pedestal 12" FB-2 & FB-5                                       | 76      |
| VP-75                  | Valve Package 3/4"   | 127     |
| SB-SS                  | Strainer Basket stainless steel                                | 162     |
| SB-25                  | Filter Bag 3.375x12 25u - 1 ea, 25 pack                        | 21, 392 |
| LID-KIT-SB-BLUE        | Lid Kit - Lid, Bar, Bolt, and O'Ring (For Safety Bar Closures) | 160     |
| LID-SB-CS-BLUE         | Lid Only For safety Bar Closures                               | 105     |